

International Journal of Drug Development & Research | July-September 2011 | Vol. 3 | Issue 3 | ISSN 0975-9344 | Available online http://www.ijddr.in Covered in Official Product of Elsevier, The Netherlands ©2010 IJDDR

# Electro-Organic Synthesis Of 2-Amino-9(4-Chlorophenyl)-5,7,8,9-Tetra Hydro-6*H* Benzo [7] Annulen-6-One in Acidic Medium

# HEMLATA SHARMA, K.K JHANKAL and D.K. SHARMA\*

Department of Chemistry, University of Rajasthan, Jaipur-302055, Rajasthan (India)

# Abstract

The electro reduction of 5-(2-chlorophenyl)-1, 3dihydro-7-2H-1, 4-benzodiazepin-2-one (clonazepam) has been studied by cyclic voltammetry at glassy carbon electrodes under the acidic conditions which indicate the reducible behavior of the drug. Electro-reduction of clonazepam has also been studied by the Galvanstatic technique at copper and amalgamated forms of copper and lead electrodes under acidic conditions. The reduction product was isolated and characterized by TLC, usual laboratory qualitative tests and IR, NMR spectral analysis. Effect of different parameters like current density, temperature, depolarizer concentration and nature of cathode material on yield percentage and current efficiency has been investigated. Number of electrons have also been calculated to confirm the isolated product, which is 2-amino-9-(4-chlorophenyl)-5,7,8,9-tetrahydro-6Hbenzo[7]annulen-6-one.

\*Corresponding author, Mailing address: D. K. Sharma Email: sharmadkuor@gmail.com

### Key words:

Clonazepam, Glassy carbon electrode, Cyclic Voltammetry, Galvanostatic technique

# How to Cite this Paper:

Hemlata Sharma, , K.K. Jhankal and D.K. Sharma, " Electro-organic synthesis of 2-amino-9- (4-chlorophenyl)- 5, 7, 8, 9-tetrahydro-6*H*-benzo [7] annulen-6-one in acidic medium" Int. J. Drug Dev. & Res., July-Sep 2011, 3(3): 107-117

### Copyright © 2010 IJDDR, Hemlata Sharma et


**al.** This is an open access paper distributed under the copyright agreement with Serials Publication, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Article History:-----Date of Submission: 27-01-2011 Date of Acceptance: 11-04-2011 Conflict of Interest: NIL Source of Support: NONE

#### Introduction

Clonazepam is a drug, which is a benzodiazepine derivative. It is highly potent anticonvulsant and anxiolytic. It is a chlorinated derivative of nitrazepam and a nitrobenzodiazepine like nitrazepam <sup>[1-6]</sup>. Clonazepam's primary mechanism of action is via modulating GABA

(gamma-aminobutyric acid) function in the brain, via the benzodiazepine receptor, which in turn leads to enhanced GABAergic inhibition of neuronal firing. In addition Clonazepam decreases the utilization of 5-HT (serotonin) by neurons and has been shown to bind tightly to central type benzodiazepine receptors, because of its strong anxiolytic and anticonvulsant properties. It is said to be among the class of "highly potent" benzodiazepines. The anticonvulsant properties of benzodiazepine due to inhibition of sustained high frequency starts repeated firing. Benzodiazepines, including clonazepams, bind to galial cell membranes with high affinity. Clonazepam decreases levels of acetylcholine and release of prolactin. Benzodiazepine inhibits cold-induced thyroid stimulating hormone (also known as TSH or thyrotropin) release. Benzodiazepines act via micro molar benzodiazepine binding sites as Ca+2 channel blockers and significantly inhibit depolarization-



#### Clonazepam

5-(2-chlorophenyl)-7-nitro-2,3-dihydro-1,4benzodiazepin-2-one

nitro group and we have tried to reduce its nitro group and monitor it through voltammetric analysis. Voltammetric techniques showed themselves to be an mechanism and analytical determination of drugs, excellent alternative for the study of the reaction sensitive calcium uptake <sup>[7-10]</sup>. Clonazepam contains especially heterocyclic nitro compounds <sup>[11-13]</sup>. Compared with other methods developed for Clonazepam determination, this new procedure

(Cyclic Voltammetry) possesses following advantages, such as a low detection limit, a rapid response, excellent reproducibility, simplicity and low cost [14]. The electrochemical behavior of Clonazepam was studied by cyclic voltammetric techniques on glassy carbon electrode. Typical cyclic voltammograms for Clonazepam recorded within the wide range (1000 to -1000 mV) of the potential at different scan rate. The shape of cyclic voltammograms clearly indicated the reversible nature of reduction.


# Scheme for Chemical Reaction:-

Electrochemical reduction of nitro compounds strongly depends on the pH of medium. General mechanism of reduction of nitro compounds in different media can be given as-

(i) in acidic medium (under high proton availability situation )

The reduction of the benzodiazepine is a complex process, involving six electrons for complete reduction of the nitro group to the amine derivative [15-17]

Scheme 2




Under anaerobic conditions or low oxygen pressure, the reduction process is similar to that of observed for nitrobenzene. The reduction mechanism for several aromatic and heterocyclic nitro compounds was presented by **Zuman** and **Coworkers** <sup>[18-26]</sup>. A total of two electrons and two protons is involved in the formation of the nitroso (R-NO) intermediate, two more electrons and protons result in the hydroxylamine (R-NHOH)<sup>[27]</sup>.

 $R - NO_{2} + e \longrightarrow R - NO_{2}^{\bullet^{-}}$   $RNO_{2}^{\bullet^{-}} + H^{+} \longrightarrow R - NO_{2}H^{\bullet}$   $R-NO_{2}H^{\bullet} + H^{+} \longrightarrow R - NO_{2}H_{2}^{\bullet^{+}}$   $R - NO_{2}H_{2}^{\bullet^{+}} + e \longrightarrow R - N(OH)_{2}$   $R - N(OH)_{2} \longrightarrow R - NO + H_{2}O$   $R - NO + 2e^{-} + 2H^{+} \longrightarrow R - NHOH$ 

The addition of two more electrons results in the formation of the amine.

R - NHOH +  $2e^-$  +  $2H^+$  R -  $NH_2$  +  $H_2O$ In neutral and basic medium (Under the condition of low proton availability)



#### Scheme 2

Generally the  $E_{1/2}$  values for the nitro group reduction change with the lateral chain at the N1 position of the heterocyclic ring <sup>[29-31]</sup>. Some compounds showed only one reduction wave involving six electrons in acidic medium

The possibilities of the formation of the amino derivative and hydroxylamine derivative of benzodiazepine were explored whenever the reaction performed under acidic, neutral and basic medium respectively. Six and four-electrons change occurs with the formation of corresponding product in acidic and basic medium respectively. Present work describes cathodic behavior of Clonazepam in acidic medium using galvanostatic technique.

### **Material and Methods**

A stock standard solution of Clonazepam in bulk  $(1 \times 10^{-3} \text{ mol } \text{L}^{-1})$  was prepared in Di-methyl formamide (DMF) then stored at 4°C until assay. A series BR buffer of pH values 2 to 11 was prepared and used as a supporting electrolyte.

10.0 mL of the BR buffer of pH 7 containing the appropriate concentration of the bulk Clonazepam were transferred into the electrochemical cell, through which a pure nitrogen stream was passed for 10 min for remove the oxygen gas before measurements. Voltammograms were recorded. Quantification of Clonazepam was performed by means of both calibration curve and standard addition methods. The reversibility of the reduction process was investigated by cyclic voltammetric technique.

All the solutions were prepared in conductivity water. Electrolytic cell used was a 250ml beaker (tall form) with the provisions of porous pot, magnetic stirrer, magnet bar, thermometer and cathode to measure the cathodic potential vs. saturated calomel electrode SCE). Other components of the cell assembly were as same as followed earlier.<sup>[28]</sup>

Voltammetric measurements were performed with a Metrohm Computrace Voltammetric Analyzer µ AUTOLAB TYPE III Potentiostat Ecochemie (Utrecht, The Netherlands) Model 757 VA. A conventional three-electrode system was used consisting of an Ag/AgCl/KCl reference electrode, a glassy carbon electrode as a working electrode and a graphite rod as auxiliary electrode. The whole measurements were automated and controlled through the programming capacity of the apparatus. The data were treated through a PC connected to the Electrochemical Analyzer version-757 VA computer. A digital pH-meter (CHINO- DB-1011) was used for measuring the pH values of the investigated solutions. The digital pH meter was fitted with a glass electrode and a saturated calomel electrode as the reference, which was previously standardized with buffers of known pH.

Concentration of Catholyte prepared ranges from 0.001 M to 0.004 M in 100ml mixture of aqueous 1%(v/v) sulphuric acid and methanol in 3:1(v:v) ratio solution. Magnetic stirrer was used for agitation. The desired current, according to current density range, was applied from the current regulated power supply (galvanostatic), developed by CDPE (Centre for Development of Physics Education), University of The cathodic potential was Rajasthan, Jaipur. measured by digital multimeter RISH Multi 14S via saturated calomel electrode (SCE) through agar-agar Gel Bridge in each case, i.e. at all electrode under investigation in the presence and absence of depolarizer to get suitable current density range for reduction under the experimental conditions imposed. In all cases, a theoretical quantity of current was passed, depending upon the amount of depolarizer taken.

The compound from mixture is purified by, passing through the column of Silica Gel. The different constituent gets adsorbed to the different extent, which was then analyzed by the usual various physicochemical methods.

# Analysis by Physicochemical Method

Solid was soluble in ether, alcohol, acetone and partially in water, and burns with sooty flames, showing aromatic nature of compound.

A single clear spot on silica gel G plate was obtained in iodine chamber (80% C<sub>6</sub>H<sub>6</sub> + 20% ethyl acetate medium) confirming, that the product was a single compound and not a mixture.

IR spectra were recorded in KBr on a SHIMADZU 400-50

Infrared Spectrophotometer (v<sub>max</sub> in cm.<sup>-1</sup>)

 $^{1}$ H-NMR spectra were recorded on JEOL AL300  $^{1}$ H-NMR Spectrophotometer using CDCl<sub>3</sub> as solvent and TMS as an internal standard (Chemical shift in  $\delta$  ppm)

# IR Spectra

IR spectrum of reduced product of clonazepam 2amino-9-(4-chlorophenyl)-5,7,8,9-tetrahydro-6H-

benzo-(7) annulene-6-one compound with methane (1:1) showed a sharp one peak for  $(-NH_2)$  at 3350 cm<sup>-1</sup>, i.e. main characteristic peak of  $NH_2$  group which shows nitro group completely reduced in amino group.

Aromatic C=C stretching peak at 1605 cm<sup>-1</sup>, aromatic C-H stretching at 3080 cm<sup>-1</sup> >C=O stretching at 1680 cm<sup>-1</sup>, it means carbonyl group of lactam ring remain intact during reduction of clonazepam.

# NMR-Spectra

A singlet appeared at  $\delta$  4.4 ppm due to (-N-CH<sub>2</sub>- C=O) group.

 $^1\mathrm{H}$  NMR of  $-\mathrm{NH}_2$  exhibited broad singlet at  $\delta$  4.9 ppm.

<sup>1</sup>H NMR of –N (CH<sub>3</sub>)-C=O exhibited a broad singlet at  $\delta$  7.9 ppm.

A multiplet appeared at  $\delta$  7.2-8.0 ppm due to aromatic proton of ring.

# **RESULT AND DISCUSSION**

**A.** Potentiostatic Technique:

# **B.** Cyclic Voltammetric Studies

The effect of the scan rate ( $\nu$ ) on the cathodic peak current had been studied by using the same solution and recording CV's at 100, 200,300,400 and 500mV sec<sup>-1</sup> scan rate. The effect of scan rate on reduction potential and reversible or irreversible nature of reduction process was also studied by cyclic voltammetry.

Typical cyclic voltammograms for Clonazepam recorded within the wide range (1000 to -1000 mV) of the potential at different scan rate. The shape of cyclic voltammograms clearly indicated the reversible nature of reduction.

The electrochemical behavior of Clonazepam was studied by cyclic voltammetric techniques on glassy carbon electrode. Clonazepam gave one, well defined reduction peak at -700 mV in the nonaqueous solution which is attributed to the reduction of Clonazepam at glassy carbon electrode. One peak observed in anodic direction of the reverse scans suggesting the reversible nature of the electrode process. The peak potential shifted towards more negative values with increase in scans rate, (Fig: I) confirming the reduction become difficult as the scan rates increases.

The effect of scan rate  $(v^{1/2})$  on stripping peak current  $(i_p)$  was examined under the above experimental conditions. As the sweep rate is increased from 100 to 500 mV/s at a fixed concentration  $(1x \ 10^{-3} \text{ M})$  of *Clonazepam*; (i) the peak potential shifted cathodically and (ii) the peak current increased steadily.

### **Effect of Scan Rate**

The effect of scan rate (v) on the cathodic peak current by using the same solution and recording CV's at 100,200,300,400 and 500 mVsec-1 scan rate. The effect of scan rate for Clonazepam on the appearance of the cyclic voltammograms can be described by the Randles - Servick equation, cathodic peak current increases as  $v^{1/2}$ . A plot of this equation  $(i_{pc}/v^{1/2})$  for Clonazepam yields a straight line.On the basis of above studies it is observed that reduction of Clonazepam is possible by voltammetric methods. Linear nature of  $i_{p/\nu^{1/2}}$  clearly indicates that reduction of Clonazepam is diffusion controlled and a single cathodic peak is observed. Peak potential shifts towards negative side with increasing scan rates, it shows, at higher scan rate reduction is difficult. Shape of cyclic voltamograms indicates the reversibility of reduction process. Hence on the basis of above study it can be conclude that Clonazepam can be reduced electrochemically.

# *C.* Galvanostatic Technique: Polarization Curves

Polarization curves for the reduction of Clonazepam at Pb, Pb-Hg and Cu-Hg electrodes show that, since, polarization is taking place, thus, reaction may be expected.

This has been further confirmed by actual electrolysis of Clonazepam at three (Pb, Pb-Hg, Cu-Hg) electrodes where reductive product can be isolated after passing current for desired duration of time according to Faraday's law. Fig: II, III and IV show the cathodic polarization curves of clonazepam in 1% (v/v) H<sub>2</sub>SO<sub>4</sub>, temperature (303±1K) at Pb, Pb-Hg, Cu-Hg electrodes, respectively, and the proper current density is 0.070, 0.063 and 0.070 Amp.cm<sup>-2</sup>, respectively, for these electrodes.

From the available range of current densities (c.d), different current densities were chosen, and the experiments were conducted at each c.d., for all the electrodes investigated (Table-7). It shows that higher ranges of current density are favourable for high yields and the optimum current densities for Pb, Pb-Hg, and Cu-Hg electrodes are 0.070, 0.063 and 0.070 amp.cm<sup>-2</sup>, respectively.

### **Effect of Depolarizer Concentration**

The concentration of depolarizer was varied from 0.001 M to 0.004 M. It was observed from the results that the depolarizer concentration 0.002 M for Pb-Hg electrode gives maximum yield in 1% (v/v)  $H_2SO_4$  medium (Table 6)

### CONCLUSION

The formation of, 2-amino-9-(4-chlorophenyl)-5,7,8,9-tetrahydro-6H-benzo-(7) annulene-6-one compound by the electro reduction of Clonazepam , involves 6 electrons process. (Scheme: 1).This was confirmed by working electrode potential vs. time curves (Fig: V). It is inferred from the curves that, the cathodic potential becomes constant after theoretical time during long-term electrolysis, which is required for, approximately, 6-electron process, according to Faraday's Law. An electrolytic method for its preparations will be of industrial importance. It is concluded from the results that product can be conventionally prepared by the cathodic reduction of

Clonazepam at either of the electrodes investigated.

#### AKNOWLEDGEMENT

thankful Authors are to University Grants Commission (UGC), New Delhi for providing financial assistance in the form of a major Research project.

# REFERENCES

[1] Cowen PJ, Green AR, Nut DJ. Nature, 1981, 290, 54-55.

[2] Dreifuss FE, Penry JK, Rose SW, Kupferberg HJ,

Dyken P, S Sato. Neurology, 1975, 25, 255-258.

Robertson MD, Drummer OH. J Forensic Sci, 1995, [3] 40, 382-386.

[4] Meldrum BS. Adv. Neurol, 1986, 43, 687-706

[5] Jenner P, Pratt JA, Marsden CD. Adv .Neurol, 1986, 43, 629-643.

[6] Skerritt JH, Johnston JA. Eur J Pharmacol 1986, 89,193-198.

[7] Varotto M, Roman M, BattistinL. Boll Soc Ital Biol Sper, 1981, 57, 904-908.

[8] Battistin L, Varotto M, Berlese G, Roman G. Neurochem Res 1984, 9, 225-231.

[9] Hullihan JP, Spector S, Taniguchi T, Wang JK. Pharmacol 1983, 78, 321-327.

[10] Zakusov VV, Ostrovskaya RU, Kozhechkin NS, Markovich VV, Molodavkin GM. T.A. Voronina, 1977, 229, 313-326.

[11] Eliason E, Parkar VD. J Electoanal Chem., 1984; 170: 347-350.

[12] Mauro La-Scalea A, Siliva Serrano HP, Gutz Ivano GR. J. Braz. Chem. Soc., 1999; 10(2: 127-135.

[13] Chunhai Yang, Analytical Sciences, 2004; 20: 821-824.

[14] Edwards DI, Antimicrob J. Chemothr., 1993; 31: 9-20.

Edwards DI, In Comprehensive Medicinal [15] Chemistry, Ed., Pergamon Press, NewYork, 1990; p. 725. [16] Knox RI, Knight RC, Edwards DI. Biochem. Pharmac., 1983;32: 2149-2156.

Zuman P, Fijalek Z. Electroanal. Chem., 1990; 296: [17] 538.

Zuman P, Fijalek Z, Dumanovic D, Suznjevic D. [18]

Electroanalysis, 1992; 4: 783-794.

Dumanovic D, Suznjevic D, Erceg M, Zuman P. [19] Electroanalysis, 1992; 4: 795-

800.

[20] Dumanovic D, Jovanovic D, Suznjevic D, Erceg D, Zuman P. Electroanalysis,

1992; 4: 871-887.

[21] Dumanovic D, Jovanovic D, Suznjevic D, Erceg M,

Zuman P. Electroanalysis,

1992; 4: 889-898.

[22] Dumanovic D, Jovanovic D, Marjanovic B, Zuman P. Electroanalysis, 1993; 5:

47-52.

Fijalek Z, Zuman P, Electroanalysis, 1993; 5: 53-64. [23]

[24] Fijalek Z, Pugia M, Zuman P. Electroanalysis, 1993; 5:65-78.

[25] Zuman P, Rupp. E. Electroanalysis, 1995; 7: 132-137.

[26] Karakus C, Zuman P. J. Electroanal. Chem., 1995; 396:499-505.

[27] Declerck PJ, De Ranter CJ, Analysis, 1987; 15: 148-150.

[28] Sharma VK, Sharma DK, Gupta CM. Bull.

Electrochem, 1989; 5(5), 359.

Dumanovic D, Perkucin S, Volke J. Talanta, 1971; [29] 18:675-682.

[30] Dumanovic D, Cirio J. Talanta, 1973; 20:525-531.


[31] Leach SC, Weaver, Kinoshita K, Lee. W. J.

Electroanal. Chem., 1995; 7: 213-227.

[32] Sharma DK, Sharma S, Mourya GL, Kumari M. J. Indian chem. soc., 2009;86: 11.

[33] Dumanovic D, Volke J, Vajgand V. J. Pharm. Pharmac., 1966; 18: 507.

### Hemlata Sharma *et al:* Electro-Organic Syanthesis Of 2-Amino-9(4-Chlorophynal) -5,7,8,9-Tetra Hydro-6*H* Benzo [7] Annulen-6-One In Acidic Medium



Cathodic polarization curves of Clonazepam (5-(2-chlorophenyl)-1,3-dihydro-7-2H-1, 4-benzodiazepin-2-one in 1% (v/v) H,SO,temperature [303±1K], at Pb-electrode

Covered in Index Copernicus with IC Value 4.68 for 2010

#### Hemlata Sharma *et al:* Electro-Organic Syanthesis Of 2-Amino-9(4-Chlorophynal) -5,7,8,9-Tetra Hydro-6*H* Benzo [7] Annulen-6-One In Acidic Medium





Fig III

Cathodic polarization curves of Clonazepam (5-(2-chlorophenyl)-1,3-dihydro-7-2H-1, 4-benzodiazepin-2-one in 1% (v/v) H<sub>2</sub>SO<sub>4</sub> temperature [303±1K], at Pb-Hg Electrode





Cathodic polarization curves of Clonazepam (5-(2-chlorophenyl)-1,3-dihydro-7-2H-1, 4-benzodiazepin-2-one in 1% (v/v) H<sub>2</sub>SO<sub>4</sub>temperature [303±1K], at Cu-Hg Electrode




Fig V

Time vs Potential Curves of Clonazepam (5-(2-chlorophenyl)-1,3-dihydro-7-2H-1, 4-benzodiazepin-2-one in 1% (v/v) H₂SO₄ medium

#### Table-1

Cathodic polarization data of Clonazepam at lead (Pb) electrode in aqueous 1% (v/v) Sulphuric acid and methanol solution. Cathode area =  $12.80 \text{ cm}^2$ , Temperature = $303\pm1 \text{ K}$ 

	Current	Current Density	-log	Potential(-V) vs. SCE			E
S.No.	(Amp.)	(c.d., Amp.		Without	Wi	th depola	rizer
	(//////////////////////////////////////	Cm <sup>-2</sup> )	C.u.	depolariz	0.001	0.002	0.004
				er	М	М	Μ
1.	0.1	0.0078	2.11	0.450	0.072	0.047	0.029
2.	0.2	0.0156	1.81	0.450	0.072	0.047	0.029
3.	0.3	0.023	1.64	0.450	0.072	0.047	0.029
4.	0.4	0.031	1.51	0.450	0.072	0.047	0.029
5.	0.5	0.039	1.41	0.450	0.072	0.047	0.029
6.	0.6	0.047	1.33	0.508	0.186	0.106	0.251
7.	0.7	0.055	1.26	0.950	0.492	0.518	0.557
8.	0.8	0.063	1.20	1.200	0.840	0.867	0.841
9.	0.9	0.070	1.15	1.280	1.147	1.105	1.141
10.	1.0	0.078	1.11	1.450	1.298	1.227	1.308

**Table-2:** Cathodic polarization data of Clonazepam at amalgamated Lead (Pb-Hg) electrode in aqueous 1% (v/v)sulphuric acid and methanol solution. Cathode area =  $12.80 \text{ cm}^2$ , Temperature = $303\pm1 \text{ K}$ 

G	<b>a</b> .	Current		Pot	tential(-ve) vs. SCE			
S. No.	Current (Amp.)	Density (c.d.,	-log c.d		With depolarizer			
		Amp.cm <sup>-2</sup> )			0.001 M	0.002 M	0.004 M	
1.	0.1	0.0078	2.11	0.550	0.458	0.433	0.371	
2.	0.2	0.0156	1.81	0.550	0.458	0.433	0.371	
3.	0.3	0.023	1.64	0.550	0.458	0.433	0.371	
4.	0.4	0.031	1.51	0.550	0.458	0.433	0.371	
5.	0.5	0.039	1.41	0.550	0.458	0.433	0.501	
6.	0.6	0.047	1.33	0.601	0.568	0.606	0.701	
7.	0.7	0.055	1.26	1.080	0.845	0.810	0.900	
8.	0.8	0.063	1.20	1.265	0.998	0.928	0.910	
9.	0.9	0.070	1.15	1.390	1.059	1.116	1.040	
10.	1.0	0.078	1.11	1.500	1.253	1.361	1.120	

**Table-3:** Cathodic polarization data of Clonazepam at amalgamated copper (Cu-Hg) electrode in aqueous 1% (v/v), Sulphuric acid and methanol solution. Cathode area =  $14.18 \text{ cm}^2$ , Temperature =  $303\pm1^\circ$  C

		Current density	-	Potential(-ve)vs. SCE			
S.No.	Current (Amp.)	(c.d.,	-log c.d	-log c.d Without	With depolarizer		
	(1111)	Amp.c m <sup>-2</sup> )	ciu	depolarizer	0.001 M	0.002 M	0.004 M
1.	0.1	0.0078	2.15	0.598	0.358	0.302	0.251
2.	0.2	0.0156	1.85	0.598	0.358	0.302	0.251
3.	0.3	0.023	1.67	0.598	0.358	0.302	0.251
4.	0.4	0.031	1.55	0.598	0.358	0.302	0.251
5.	0.5	0.039	1.45	0.598	0.520	0.561	0.251
6.	0.6	0.047	1.37	1.215	0.691	0.668	0.400
7.	0.7	0.055	1.31	2.000	1.123	0.752	0.598
8.	0.8	0.063	1.25	2.191	1.301	1.261	0.608
9.	0.9	0.070	1.20	3.012	1.387	1.281	0.932
10.	1.0	0.078	1.15	-	1.410	-	1.150

**Covered in Index Copernicus with IC** 

FULL Length Research Paper

Value 4.68 for 2010

**Table-4:** Polarization data for long term electrolysis (Potential vs Time) of Clonazepam (0.001 M) at Lead (Pb), Amalgamated Copper, (Cu-Hg) and Amalgamated Lead,(Pb-Hg) Electrodes in aqueous 1 %( v/v) sulphuric acid and methanol solution. Temperature=303±1K

S.No.	Time	Pb Electrode	Pb-Hg Electrode	Cu-Hg Electrode
1.	0	0.494	0.832	0.578
2.	20	0.498	0.830	0.620
3.	40	0.560	0.900	0.712
4.	60	0.702	1.062	0.870
5.	80	0.871	1.172	1.020
6.	100	0.923	1.210	1.071
7.	120	0.923	1.210	1.078
8.	140	0.923	1.210	1.078
9.	160	0.923	1.210	1.078
10.	180	0.923	1.210	1.078

**Table-5:** Effect of current density on yield at different cathodes {temperature 303 K, Catholyte 100 ml. (aqueous 1% (v/v) sulphuric acid + methanol solution containing 0.002 M Clonazepam}

S.No.	Cathode	Current density (c.d., Amp. Cm <sup>-2</sup> )	Yield of the product (%)
1.	Pb	0.070	62
		0.078	59
2.	Pb-Hg	0.063	70
		0.070	61
		0.078	65
3.	Cu-Hg	0.063	62
		0.070	66

**Table-6:** Effect of depolarizer concentration yield at different cathodes

S.No.	Depolarizer Concentration	Percentage Yield of the Product at different concentrations (%)		
		Pb	Pb- Hg	Cu- Hg
1	0.001 M	60	61	62
2	0.002 M	62	70	66
3	0.004 M	58	65	58

**Table 7:** Optimum conditions for electro reductionof Clonazepam (0.002 M) (Medium 1% (v/v)sulphuric acid + methanol solution)

(Temperature=303±1)

Cathode	Temperatur e (+1K)	Depolarizer Concentratio n	Current density
Pb	303	0.002 M	0.070
Pb-Hg	303	0.002 M	0.063
Cu-Hg	303	0.002 M	0.070



